

UNITED STATES PATENT AND TRADEMARK OFFICE

UNITED STATES DEPARTMENT OF COMMERCE
United States Patent and Trademark Office
Address: COMMISSIONER FOR PATENTS
P.O. Box 1450
Alexandria, Virginia 22313-1450
www.uspto.gov

APPLICATION NO.	FILING DATE	FIRST NAMED INVENTOR	ATTORNEY DOCKET NO.	CONFIRMATION NO.
10/766,866	01/30/2004	Jean-Louis Gueret	118322	3899
25944 7590 05/14/2007 OLIFF & BERRIDGE, PLC P.O. BOX 19928 ALEXANDRIA, VA 22320			EXAMINER WALCZAK, DAVID J	
			ART UNIT 3751	PAPER NUMBER
			MAIL DATE 05/14/2007	DELIVERY MODE PAPER

Please find below and/or attached an Office communication concerning this application or proceeding.

The time period for reply, if any, is set in the attached communication.

H

Office Action Summary	Application No.	Applicant(s)	
	10/766,866	GUERET, JEAN-LOUIS	
	Examiner	Art Unit	
	David J. Walczak	3751	

-- The MAILING DATE of this communication appears on the cover sheet with the correspondence address --

Period for Reply

A SHORTENED STATUTORY PERIOD FOR REPLY IS SET TO EXPIRE 3 MONTH(S) OR THIRTY (30) DAYS, WHICHEVER IS LONGER, FROM THE MAILING DATE OF THIS COMMUNICATION.

- Extensions of time may be available under the provisions of 37 CFR 1.136(a). In no event, however, may a reply be timely filed after SIX (6) MONTHS from the mailing date of this communication.
- If NO period for reply is specified above, the maximum statutory period will apply and will expire SIX (6) MONTHS from the mailing date of this communication.
- Failure to reply within the set or extended period for reply will, by statute, cause the application to become ABANDONED (35 U.S.C. § 133). Any reply received by the Office later than three months after the mailing date of this communication, even if timely filed, may reduce any earned patent term adjustment. See 37 CFR 1.704(b).

Status

- 1) ☒ Responsive to communication(s) filed on 23 March 2007.
- 2a) ☒ This action is **FINAL**. 2b) ☐ This action is non-final.
- 3) ☐ Since this application is in condition for allowance except for formal matters, prosecution as to the merits is closed in accordance with the practice under *Ex parte Quayle*, 1935 C.D. 11, 453 O.G. 213.

Disposition of Claims

- 4) ☒ Claim(s) 1-38 is/are pending in the application.
- 4a) Of the above claim(s) 2,3,8,9 and 17 is/are withdrawn from consideration.
- 5) ☐ Claim(s) _____ is/are allowed.
- 6) ☒ Claim(s) 1,4-7,10-16 and 18-38 is/are rejected.
- 7) ☐ Claim(s) _____ is/are objected to.
- 8) ☐ Claim(s) _____ are subject to restriction and/or election requirement.

Application Papers

- 9) ☐ The specification is objected to by the Examiner.
- 10) ☐ The drawing(s) filed on _____ is/are: a) ☐ accepted or b) ☐ objected to by the Examiner.
Applicant may not request that any objection to the drawing(s) be held in abeyance. See 37 CFR 1.85(a).
Replacement drawing sheet(s) including the correction is required if the drawing(s) is objected to. See 37 CFR 1.121(d).
- 11) ☐ The oath or declaration is objected to by the Examiner. Note the attached Office Action or form PTO-152.

Priority under 35 U.S.C. § 119

- 12) ☒ Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f).
- a) ☒ All b) ☐ Some * c) ☐ None of:
1. ☒ Certified copies of the priority documents have been received.
 2. ☐ Certified copies of the priority documents have been received in Application No. _____.
 3. ☐ Copies of the certified copies of the priority documents have been received in this National Stage application from the International Bureau (PCT Rule 17.2(a)).

* See the attached detailed Office action for a list of the certified copies not received.

Attachment(s)

- | | |
|--|---|
| 1) <input type="checkbox"/> Notice of References Cited (PTO-892) | 4) <input type="checkbox"/> Interview Summary (PTO-413) |
| 2) <input type="checkbox"/> Notice of Draftsperson's Patent Drawing Review (PTO-948) | Paper No(s)/Mail Date. _____ |
| 3) <input checked="" type="checkbox"/> Information Disclosure Statement(s) (PTO/SB/08) | 5) <input type="checkbox"/> Notice of Informal Patent Application |
| Paper No(s)/Mail Date <u>4/13/07</u> . | 6) <input type="checkbox"/> Other: _____ |

DETAILED ACTION

Response to Amendment

As claims 29 and 30 have been amended to depend from claim 1, there are hereby rejoined and will be examined herein. Claims 2, 3, 8, 9 and 17 remain withdrawn.

Claim Rejections - 35 USC § 103

The following is a quotation of 35 U.S.C. 103(a) which forms the basis for all obviousness rejections set forth in this Office action:

(a) A patent may not be obtained though the invention is not identically disclosed or described as set forth in section 102 of this title, if the differences between the subject matter sought to be patented and the prior art are such that the subject matter as a whole would have been obvious at the time the invention was made to a person having ordinary skill in the art to which said subject matter pertains. Patentability shall not be negated by the manner in which the invention was made.

Claims 1, 4-7, 10-16, 18-28 and 29-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Buckley et al. (hereinafter Buckley) in view of Drozd, Jr. (hereinafter Drozd). In regard to claim 1, Buckley discloses a device comprised of a flask 10 containing "a substance for application to nails" (see column 2, lines 6-7) and having a threaded neck 14 and an applicator having a stem 21', 22' (see Figure 7), an applicator element 12' disposed at the first end of the stem and a closure cap 11 supporting the second end of the stem wherein the cap includes a threaded portion for engagement with the neck 14. Although the Buckley reference does not disclose the volume of the flask, it is the Examiner's position that the flask in the Buckley reference can be designed to have any suitable volume, including the claimed volume, without

Art Unit: 3751

effecting the overall operation of the device, especially since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable condition (in this case, the flask volume) involves only routine skill in the art. It is further noted that the Applicant has placed no criticality on the particular flask volume. Although the Buckley reference does not disclose a ring releasably connected to the threaded portion and arranged to remain secured to the neck during removal of the applicator, attention is directed to the Drozd reference, which discloses another flask and cap arrangement wherein a ring 16a (see Figures 8-10) is releasably connected to the threaded portion of the cap 12 and will remain secured to the neck of the flask when the cap is removed in order to enable a user to determine whether or not the cap has been previously removed. Further, the ring occupies "substantially" the same axial position before and after separation, i.e., when compared to the length of the neck and container, the ring remains in "substantially" the same position. Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the structure of the flask neck and ring taught by Drozd onto the Buckley device in order to enable a user to determine whether or not the device has previously been open. In regard to claim 4, the ring has a first portion 52 in relief that enables the ring to be snap-fastened onto a second portion 54 in relief on the neck (see column 7, lines 12-18). In regard to claim 5, the second portion in relief includes an annular bead 54 and the first portion in relief comprises teeth 52. In regard to claim 6, the ring and cap disclosed by Drozd are formed by molding plastic (as evidenced by the cross-hatching used in the drawings and column 4, lines 36-39). In regard to claim 7, the ring

Art Unit: 3751

is connected to the threaded portion by a breakable bridge 14a. In regard to claims 10-12 and 16, the neck includes a first anti-rotation device 44a in the form of a ramp and the ring includes a second anti-rotation device 28a in the form of a ramp wherein the anti-rotation devices operate as claimed. In regard to claim 13, the neck in the Buckley device includes a base having a cylindrical surface (located below the threads). In regard to claim 14, a careful inspection of Figure 1 shows a frustoconical surface at the base which flares toward the body of the flask. In regard to claim 15, the flask in the Buckley device has a shoulder at the base of the neck. In regard to claims 18 and 19, the flask in the Buckley device can be made from glass or plastic (see column 1, lines 48-52). In regard to claims 20-22, 24, 25, 27 and 28, although the Buckley reference does not disclose the capacity of the flask or the dimensions of the neck, stem and applicator brush 12', at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to design the flask to have the claimed capacity and the neck, stem and applicator to have the claimed dimensions, depending on the needs of the user. In regard to claim 23, the stem is visible when the applicator is withdrawn and viewed as claimed (see Figure 7). In regard to claim 26, the flask contains a substance to be applied to nails (see column 2, lines 3-7). In regard to claims 29 and 30, the claimed method of manufacturing the device is inherent in the manufacturing of the device discussed supra. In regard to claims 31-36 the method as claimed is inherent in the operation of the device discussed supra.

Claims 1, 4-7, 10-16, 18-36 are rejected under 35 U.S.C. 103(a) as being unpatentable over Buckley in view of Yasada. In regard to claim 1, Buckley discloses a

Art Unit: 3751

device comprised of a flask 10 containing "a substance for application to nails" (see column 2, lines 6-7) and having a threaded neck 14 and an applicator having a stem 21', 22' (see Figure 7), an applicator element 12' disposed at the first end of the stem and a closure cap 11 supporting the second end of the stem wherein the cap includes a threaded portion for engagement with the neck 14. Although the Buckley reference does not disclose the volume of the flask, it is the Examiner's position that the flask in the Buckley reference can be designed to have any suitable volume, including the claimed volume, without effecting the overall operation of the device, especially since it has been held that where the general conditions of a claim are disclosed in the prior art, discovering the optimum or workable condition (in this case, the flask volume) involves only routine skill in the art. It is further noted that the Applicant has placed no criticality on the particular flask volume. Although the Buckley reference does not disclose a ring releasably connected to the threaded portion and arranged to remain secured to the neck during removal of the applicator, attention is directed to the Yasada reference, which discloses another flask and cap arrangement wherein a ring 24 is releasably connected to the threaded portion of the cap 16 and will remain secured to the neck of the flask when the cap is removed in order to enable a user to determine whether or not the cap has been previously removed. Further, due to element 12 the ring occupies substantially the same axial position before and after separation. Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the structure of the flask neck and ring taught by Yasada onto the Buckley device in order to enable a user to determine whether or not the device has previously

Art Unit: 3751

been open. In regard to claim 4, the ring has a first portion 34 in relief that enables the ring to be snap-fastened onto a second portion 10 in relief on the neck. In regard to claim 5, the second portion in relief includes an annular bead 10 and the first portion in relief comprises teeth 34. In regard to claim 6, the ring and cap disclosed by Drozd are formed by molding plastic (as evidenced by the cross-hatching used in the drawings and column 3, lines 64-66). In regard to claim 7, the ring is connected to the threaded portion by a breakable bridge 28. In regard to claims 10-12 and 16, the neck includes a first anti-rotation device 34 in the form of a ramp and the ring includes a second anti-rotation device 38 in the form of a ramp wherein the anti-rotation devices operate as claimed. In regard to claim 13, the neck in the Buckley device includes a base having a cylindrical surface (located below the threads). In regard to claim 14, a careful inspection of Figure 1 shows frustoconical surface at the base which flares toward the body of the flask. In regard to claim 15, the flask in the Buckley device has a shoulder at the base of the neck. In regard to claims 18 and 19, the flask in the Buckley device can be made from glass or plastic (see column 1, lines 48-52). In regard to claims 20-22, 24, 25, 27 and 28, although the Buckley reference does not disclose the capacity of the flask or the dimensions of the neck, stem and applicator brush 12', at the time the invention was made, it would have been an obvious matter of design choice to a person of ordinary skill in the art to design the flask to have the claimed capacity and the neck, stem and applicator to have the claimed dimensions, depending on the needs of the user. In regard to claim 23, the stem is visible when the applicator is withdrawn and viewed as claimed (see Figure 7). In regard to claim 26, the flask contains a substance

to be applied to nails (see column 2, lines 3-7). In regard to claims 29 and 30, the claimed method of manufacturing the device is inherent in the manufacturing of the device discussed supra. In regard to claims 31-36 the method as claimed is inherent in the operation of the device discussed supra.

Claims 37 and 38 are rejected under 35 U.S.C. 103(a) as being unpatentable over Gueret '788 (hereinafter Gueret) in view of Drozd. In regard to claims 37 and 38, Gueret discloses a device comprised of a flask 4 containing a substance for application to nails (see column 1, lines 4-8), a threaded neck extending from the flask and an applicator comprised of a stem 22b, an applicator element 20 and a closure cap 6 for supporting the stem and threadedly engaging the neck. Further, viewing Figure 1, the length of the applicator element is considered to be "equal to the height of the flask body to within about 30%" and the length of the stem is considered to be "equal to the length of the neck to within about 30%". Although the Gueret reference does not disclose a ring releasably connected to the threaded portion and arranged to remain secured to the neck during removal of the applicator, attention is directed to the Yasada reference, which discloses another flask and cap arrangement wherein a ring 24 is releasably connected to the threaded portion of the cap 16 and will remain secured to the neck of the flask when the cap is removed in order to enable a user to determine whether or not the cap has been previously removed. Accordingly, it would have been obvious to one of ordinary skill in the art at the time the invention was made to provide the structure of the flask neck and ring taught by Yasada onto the Buckley device in

Art Unit: 3751

order to enable a user to determine whether or not the device has previously been open.

Response to Arguments

Applicant's arguments filed 3/23/07 have been fully considered but they are not persuasive.

The Applicant contends that the Buckley reference is not applicable against the claims since this reference does not disclose a flask having the claimed volume. As discussed above, however, it is the Examiner's position that the Buckley device can be designed to have the claimed volume, especially since the Buckley reference in no way limits the volume of the flask and the features thereof are not dependent on the flask volume.

The Applicant then contends that the Buckley reference is not applicable this device employs an extendable stem while the Applicant's stem is not extended. However, the claims do not call for a stem that cannot be or is not extended. Accordingly, as this feature is not claimed, the Buckley reference is properly applied as it disclosed the structure of the stem as claimed.

The Applicant also contends that there is no motivation to combine the Buckley and Drozd/Yasada references as described above, however, as discussed in a previous office action and repeated herein, the examiner recognizes that obviousness can only be established by combining or modifying the teachings of the prior art to produce the claimed invention where there is some teaching, suggestion, or motivation to do so

Art Unit: 3751

found either in the references themselves or in the knowledge generally available to one of ordinary skill in the art. See *In re Fine*, 837 F.2d 1071, 5 USPQ2d 1596 (Fed. Cir. 1988) and *In re Jones*, 958 F.2d 347, 21 USPQ2d 1941 (Fed. Cir. 1992). In this case, one of ordinary skill in the container arts would readily recognize the tamper proof rings (such as those disclosed by Drozd) can be applied to any type of container having a screw cap in order to enable a user that the container has not been tampered with.

Conclusion


THIS ACTION IS MADE FINAL. Applicant is reminded of the extension of time policy as set forth in 37 CFR 1.136(a).

A shortened statutory period for reply to this final action is set to expire THREE MONTHS from the mailing date of this action. In the event a first reply is filed within TWO MONTHS of the mailing date of this final action and the advisory action is not mailed until after the end of the THREE-MONTH shortened statutory period, then the shortened statutory period will expire on the date the advisory action is mailed, and any extension fee pursuant to 37 CFR 1.136(a) will be calculated from the mailing date of the advisory action. In no event, however, will the statutory period for reply expire later than SIX MONTHS from the mailing date of this final action.

Any inquiry concerning this communication or earlier communications from the examiner should be directed to David J. Walczak whose telephone number is 571-272-4895. The examiner can normally be reached on Mon-Thurs, 6:30- 5:00.

If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Huson Gregory can be reached on 571-272-4887. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see <http://pair-direct.uspto.gov>. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free). If you would like assistance from a USPTO Customer Service Representative or access to the automated information system, call 800-786-9199 (IN USA OR CANADA) or 571-272-1000.



David J. Walczak
Primary Examiner
Art Unit 3751

DJW
5/1/07